

- E966** (5 Nov. 1967) Eve Bay, Wellington. Intertidal wash of algae and their rhizomes. Coll. J. L. Barnard (JLB NZ-1).
Amphoroidea media, *Cilicæa dolorosa*, *Dynamenella huttoni*, *Dynamenoides decima*
- E967** (5 Nov. 1967) Eve Bay, Wellington. Wash of numerous rocks and gravel covered with algae. Coll. J. L. Barnard (JLB NZ-2)
Cassidinopsis admirabilis, *Cilicæa dolorosa*, *Cymodocecella egregia*, *Dynamenella condita*, *D. cordiforaminalis*, *D. huttoni*, *Dynamenoides decima*, *Dynamenopsis varicolor*
- E969** (22 Jan. 1968) Kaikoura. Intertidal wash of kelp holdfasts (*Lessonia*, *Macrocystis*, *Laminaria*, *Cystophora*), heavy turf of *Gelidium* and *Bostrychia*, alga *Hormosira* and halopterins and echinothamnions. Coll. J. L. Barnard (JLB NZ-4).
Amphoroidea media, *Dynamenella cordiforaminalis*, *D. huttoni*, *Dynamenopsis varicolor*, *Dynamenoides vulcanata*, *Scutuloidea maculata*
- E971** (23 Jan. 1968) Kaikoura. Wash of rocks in broad shallow channel in mid-intertidal sparse corallines, *Hormosira* and halopterin algae. Coll. J. L. Barnard (JLB NZ-6).
Cilicæa dolorosa, *Dynamenella condita*, *D. huttoni*, *D. insulsa*, *Dynamenoides decima*, *D. vulcanata*, *Dynamenopsis varicolor*, *Scutuloidea maculata*
- E972** (23 Jan. 1968) Kaikoura. Washings of rocks covered with corallines, some *Hormosira*, other algae (?*Haliopteris* especially), or bare rocks in middle intertidal above low water in shallow drain channels. Coll. J. L. Barnard (JLB NZ-7).
Exosphaeroma obtusum, *Isocladus armatus*
- E973** (25 Jan. 1968) St Clair, Dunedin. Intertidal algae, especially pterocladians or strebocladians, heavy turf of *Gelidium*, *Bostrychia*, and several specimens of *Pyura* sp. Coll. J. L. Barnard (JLB NZ-8).
Dynamenella condita, *D. huttoni*, *Scutuloidea maculata*
- E974** (25 Jan. 1968) St Clair, Dunedin. Three holdfasts of *Durvillea antarctica*, one compound tunicate in middle. Coll. J. L. Barnard (JLB NZ-9).
Dynamenella huttoni, *Isocladus calcareus*, *Scutuloidea maculata*
- E975** (15 Feb. 1968) Leigh (Marine Stn). Generalised wash of algae, especially *Carpophyllum*, *Cystophora*, halopterins in tide pool. Coll. J. L. Barnard (JLB NZ-10).
Amphoroidea media, *Cassidinopsis admirabilis*, *Cilicæa dolorosa*, *Cymodocecella egregia*, *Dynamenoides decima*, *Dynamenopsis varicolor*, *Isocladus dulciculus*, *Scutuloidea maculata*
- E976** (15 Feb. 1968) Leigh (Marine Stn). Wash of intertidal algae, especially *Carpophyllum*, *Cystophora*, *Hormosira*, halopterins in tide pool. Coll. J. L. Barnard (JLB NZ-11).
Isocladus dulciculus
- E977** (15 Feb. 1968) Leigh (Marine Stn). Huaroa Pt, Whangaparaoa Peninsula. Small high rock pools in surf splash zone, lined with filamentous brown algae. Wash of *Liagora harveyana* on upper rock platform. Coll. J. L. Barnard (JLB NZ-12).
Cilicæa dolorosa, *Cymodocecella capra*, *C. egregia*, *Dynamenoides vulcanata*, *Dynamenopsis varicolor*, *Isocladus dulciculus*
- E978** (16 Feb. 1968) Huaroa Pt, Whangaparaoa Peninsula. Small high rock pools in surf splash zone, lined with filamentous brown algae. Coll. J. L. Barnard (JLB NZ-13).
Dynamenoides decima, *D. vulcanata*
- E979** (16 Feb. 1968) Huaroa Pt, Whangaparaoa Peninsula. Heavy stand of algae at low water including *Cystophora torulosa* and bases of dying *Codium* sp. Coll. J. L. Barnard (JLB NZ-14).
Amphoroidea media, *Cassidinopsis admirabilis*, *Cilicæa dolorosa*, *Dynamenoides decima*, *D. vulcanata*, *Dynamenopsis varicolor*
- E980** (16 Feb. 1968) Huaroa Pt, Whangaparaoa Peninsula. Wash of rocks in shallow channels 25 m from low water. Coll. J. L. Barnard (JLB NZ-15).
Isocladus dulciculus
- E981** (17 Feb. 1968) Tapeka Pt, near Russell. Intertidal wash of sparse algae, mostly *Hormosira*, plus short cropped *Carpophyllum* and *Cystophora* and others. Coll. J. L. Barnard (JLB NZ-16).
Amphoroidea media, *Dynamenella huttoni*, *Dynamenoides decima*
- E982** (20 Feb. 1968) Makorori Beach, 13.4 km on road NE of Gisborne town cenotaph. Shore collection. Wash of dense stands of *Cystophora*, *Carpophyllum* and marine grasses (?*Zostera*) on broad open sea platform, plus sphaeromid-bored siltstone, surf grass occurring on small mesas about 1.5 m in extent, many filamentous brown epiphytes on kelps. Coll. J. L. Barnard (JLB NZ-17).
Cassidinopsis admirabilis, *Cilicæa dolorosa*, *Cymodocecella egregia*, *Dynamenoides vulcanata*, *Dynamenopsis varicolor*, *Isocladus dulciculus*, *Sphaeroma laurense*
- E983** (Jan. 1965) Castlepoint. Shore collection. Intertidal. Rock pools. Coll. D. E. Hurley.
Amphoroidea media, *Cilicæa dolorosa*, *Dynamenella cordiforaminalis*, *Dynamenoides decima*, *D. vulcanata*, *Dynamenopsis varicolor*, *Isocladus calcareus*, *I. dulciculus*, *Scutuloidea maculata*
- E984** (Jan. 1965) Castlepoint. Shore collection. Intertidal. Rock pools. Coll. D. E. Hurley.
Isocladus calcareus
- E985** (4 Nov. 1964) Island Bay. Shore collection. Under stones, low tide. Coll. D. E. Hurley.
Amphoroidea media, *Exosphaeroma obtusum*, *Dynamenoides decima*
- E986** (4 Nov. 1964) Lyall Bay. Seaweed washings. Coll. D. E. Hurley.
Dynamenopsis varicolor
- F82** (14 Jan. 1965) 50°01'S, 166°54'E. DCMB. Bryozoan shell grit. Depth 133 m. TAM. Sponges, hermit crab, brachiopod shells, asteroids. Depth 133 m.
Cymodoce perversa
- F94** (17 Jan. 1965) 49°13'S, 168°01'E. DCMB. Small amount of foraminiferal sand, gastropods, etc. Depth 604 m. TAM. Echinoid fragments, gastropods, hermit crabs, barnacles, etc. Depth 576 m.
Cymodoce australis
- F97** (17 Jan. 1965) 48°00'S, 168°32'E. TAM. *Nectocarcinus*, anemones, holothurians, echinoids, asteroids, dead bivalves and gastropods, brachiopods, sponges, etc. Depth 134 m.
Cymodoce allegra, *Exosphaeroma gigas*
- F104** (20 Jan. 1965) 48°40'S, 170°45.5'E. TAM. Off-white sand and mud. Large soft purple echinoid, asteroids, ophiuroids, holothurians, gastropod, hermit crabs, isopods, rat-tails. Depth 814-788 m.
Cymodopsis impudica
- F136** (30 Jan. 1965) 51°20'S, 172°42'E. TAM. Globigerina ooze. Sponge, asteroids, holothurians, ophiuroids, live and dead gastropods, coral, etc. Depth 547 m.
Cymodoce australis

- F145** (1 Feb. 1965) 53°14'S, 171°48'E. TAM. Globigerina ooze. Holothurians, echinoids, gastropods, hermit crabs, ophiuroids, white spider crabs, bryozoan fragments, empty worm tubes. Depth 435 m.
Cymodoce australis
- F147** (1 Feb. 1965) 52°21'S, 173°09'E. TAM. Globigerina ooze. Echinoids, *Hyalinoecia*, corals, gastropods, hermit crabs, bivalves, shrimps, isopods. Depth 611 m.
Cymodoce australis, *Cymodopsis sphyracephala*
- F753** (18 Aug. 1966) 44°45'S, 174°30'E. TAM. Globigerina ooze. Holothurians, gastropods, *Hyalinoecia*, *Lithosoma*. Depth 763–854 m.
TM. Mollusca, ophiuroids, isopods, amphipods, cumaceans, polychaetes. Most sediment washed out. Depth 854–788 m.
Cymodopsis impudica
- Z1795** (14 Sep. 1962) Cape Hallett. Weed. Dredged. Sta. A.
Cymodocella tubicauda
- Z1799** (Sep. 1962) Cape Hallett. Dredged. Sta. B.
Cymodocella tubicauda
- Z1801** (22 Sep. 1962) Cape Hallett. Trap. Sta. A.
Cymodocella tubicauda
- Z1804** (29 Sep. 1962) Cape Hallett. Dredged. Sta. A.
Cymodocella tubicauda
- Z1819** (17 Nov. 1962) Campbell I. Beeman Cove jetty, low spring tide. Intertidal. Coll. A. W. Wright.
Exosphaeroma obtusum
- Z1824** (16 Dec. 1962) Campbell I. Lookout Bay. Intertidal. Coll. A. W. Wright.
Cymodocella tubicauda, *Exosphaeroma obtusum*
- Z1829** (28 Dec. 1962) Campbell I. Beeman Cove jetty. Intertidal. Coll. A. W. Wright.
Exosphaeroma obtusum
- Z1852** (4 May 1963) Campbell I. Lookout Bay. Intertidal, under rocks, outgoing tide. Coll. A. W. Wright.
Exosphaeroma obtusum
- Z1854** (19 May 1963) Campbell I. Camp Cove. Intertidal, low tide, under rocks, sand and mud. Coll. A. W. Wright.
Exosphaeroma obtusum
- Z2280** (13 Jan. 1963) Coromandel. In sandy pools (in *Pterocladia*, *Jania*). Coll. M. J. Gordon.
Isocladus dulciculus
- Z2281** Leigh. Algae in pools (*Carpophyllum plumosum*)
Cilicæa dolorosa, *Scutuloidea maculata*
- Z2282** (28 Mar. 1963) Narrow Neck. Coll. M. J. Gordon.
Amphoroidea media
- Z2283** (24 Mar. 1963) Piha. Lion Rock. Coll. M. J. Gordon.
Dynamenella huttoni, *Scutuloidea maculata*
- Z2284** (Jan. 1960) New Plymouth. Fitzroy Beach. Tidal pools in sandy beach. Coll. D. E. Hurley.
Isocladus armatus
- Z2285** (1 Oct. 1952) Otago. Blueskin Bay. Trawled, fishing vessel *Grace*. Depth 20 m. Coll. D. E. Hurley.
Cassidina typa, *Cilicæa caniculata*, *Cymodoce australis*, *C. penserosa*
- Z2286** (1952) Portobello. Coll. D. E. Hurley.
Cilicæa caniculata
- Z2287** Castlepoint. Coll. R. B. Pike.
Cilicæa dolorosa
- Z2288** (28 Nov. 1949) Campbell I. Perseverance Harbour. Under stones, met. station jetty. Coll. M. Laird.
Exosphaeroma obtusum
- Z2289** (8 Sep. 1952) Otago Harbour. Quarantine I. Under stones. Coll. D. E. Hurley.
Exosphaeroma obtusum
- Z2290** (8 Apr. 1952) Portobello. Jetty reef, Marine Station. Coll. D. E. Hurley.
Cilicæa caniculata, *Isocladus calcareus*
- Z2291** (20 Jan. 1953) Portobello. Wharfblocks, Marine Station jetty. Coll. D. E. Hurley.
Cilicæa caniculata
- Z2292** (10 Nov. 1952) Portobello. Light, Marine Station jetty. Coll. D. E. Hurley.
Cilicæa caniculata, *Isocladus armatus*
- Z2293** (1952–1954) Portobello. Wharfblocks, Marine Station jetty. Coll. D. E. Hurley.
Cilicæa caniculata, *Isocladus spicatus*
- Z2294** (2 Oct. 1952) Portobello. Marine Station; off bryozoan. Coll. D. E. Hurley.
Cilicæa caniculata
- Z2295** (20 Jul. 1952) Portobello. Off sponge-covered *Pyura* stalk cast on beach at Marine Station. Coll. D. E. Hurley.
Cilicæa caniculata
- Z2296** (22 Apr. 1953) Portobello. Off wharf-piles. Coll. D. E. Hurley.
Cilicæa caniculata
- Z2296a** (Apr. 1953) Portobello. Middle sandbank near Port Chalmers. On *Macrocystis* holdfast. Coll. D. E. Hurley.
Cilicæa caniculata
- Z2297** Tangoio. Coll. D. E. Hurley.
Amphoroidea media, *Dynamenoides decima*, *Scutuloidea maculata*
- Z2298** (19 Feb. 1949) Island Bay. Seaweed, rock pool. Coll. D. E. Hurley (Coll. No. 61).
Dynamenella huttoni, *Dynamenoides decima*, *Dynamenopsis varicolor*
- Z2299** (21 Nov. 1964) Castlepoint. LWST. Coll. R. B. Pike.
Cilicæa dolorosa, *Dynamenopsis varicolor*, *Exosphaeroma obtusum*, *Isocladus calcareus*
- Z2300** (2 Dec. 1949) Macquarie I. Buckle Bay. Tidepool under stones. Coll. M. Laird.
Exosphaeroma gigas
- Z2301** (2 Dec. 1949) Macquarie I. Aerial Cove. Tidepool under stones. Coll. M. Laird.
Exosphaeroma gigas
- Z2302** (May 1967) Portobello. Under stones. LMTL. Coll. K. P. Jansen.
Exosphaeroma planulum
- Z2303** (8 Mar. 1957) Westport. Ironbank pile 1.6 km up Buller River from sea.
Sphaeroma quoyanum
- Z2304** (1 Aug. 1950) Island Bay. Off *Lessonia*. Coll. Dr J. G. Gibbs.
Amphoroidea longipes, *Dynamenopsis varicolor*, *Scutuloidea maculata*
- Z2305** (4 Nov. 1964) Pt. Jerningham. From sea wall gutter UHTL. Coll. D. E. Hurley.
Exosphaeroma obtusum
- Z2306** (14 Aug. 1950) Pt. Jerningham. Coll. D. E. Hurley.
Amphoroidea media
- Z2307** (May 1950) Moa Point. Off *Laminaria*. Coll. J. G. Gibbs.
Amphoroidea media
- Z2308** (13 Apr. 1963) Coromandel. Minifies Beach. In *Pterocladia*. Coll. M. J. Gordon.
Amphoroidea media, *Dynamenella huttoni*, *Isocladus dulciculus*, *Scutuloidea maculata*

- Z2309** (6 Jun. 1952) Otago Harbour, Portobello Marine Station, sieved from sandbank. Coll. D. E. Hurley.
Isocladus spiculatus
- Z2310** (3 Jun. 1952) Otago Harbour, Portobello Marine Station, small jetty, light. Coll. D. E. Hurley.
Isocladus spiculatus
- Z2312** Te Wainui. Coll. D. E. Hurley.
Cilicaca dolorosa
- Z2313** (May 1951) Brothers Is. Off seaweed. Coll. C. A. Bradstock.
Dynamenella huttoni, *Scutuloidea maculata*
- Z2314** (3 Nov. 1957) Warrington-Karitane. 18–22 m.
Cassidina typa
- Z2315** (Dec. 1949) Macquarie I. Garden Cove. Under stones. Coll. M. Laird.
Exosphaeroma gigas

National Museum Collections

CAPE EXPEDITION

- [1] Cape Expedition 10. Station 3, No. 2. Campbell I.
Exosphaeroma obtusum
- [2] WHD 278 (20 Jul. 1943) No. 1 Sta. Port Ross, Auckland Is. In rock pools. Coll. W. H. Dawbin.
Exosphaeroma obtusum, *Dynamenella huttoni*, *Pseudosphaeroma campbellensis*
- [3] WHD 332 (7 Aug. 1943) Crozier Point, Auckland Is. Under boulders, low tide. Coll. W. H. Dawbin.
Exosphaeroma obtusum
- [4] WHD 332 (11 Aug. 1943) Ewing I., Port Ross, Auckland Is. Coll. W. H. Dawbin.
Amphoroidea falcifer, *Dynamenella huttoni*
- [5] WHD 370 (21 Aug. 1943) Laurie Harbour, Auckland Is. In mud flat, head of harbour, among old shells. Coll. W. H. Dawbin.
Exosphaeroma obtusum
- [6] WHD 474 (6 Oct. 1943) North Arm, Carnley Harbour, Auckland Is. Among stones at high tide, mud flat. Coll. E. M. & W. D.
Exosphaeroma obtusum, *Pseudosphaeroma campbellensis*
- [7] (19 May 1944) Ranui Cove, Auckland Is. Coll. E. G. Turbott.
Exosphaeroma obtusum
- [8] RO 79 (4 Nov. 1944) Perseverance Harbour, Campbell Is. Off Shoal Point, 16 fm (30 m). Coll. R. Oliver.
Cymodoce australis

AUCKLAND ISLANDS

- [9] (29 Mar. 1927) Hanfield Inlet, Auckland Is. Coll. W. R. B. Oliver.
Exosphaeroma gigas
- [10] (Feb. 1950) Long Bay, Auckland Is. Coll. R. K. Dell.
Exosphaeroma obtusum
- [11] (18 Mar. 1954) Sandy Bay, Enderby I., Auckland Is. Seaweed washings. Coll. R. K. Dell.
Dynamenella huttoni
- [12] (8 Nov. 1954) Ranui Cove, Auckland Is. Intertidal. Coll. E. S. Gourlay.
Exosphaeroma obtusum, *Pseudosphaeroma campbellensis*
- [13] (12 Nov. 1958) Laurie Harbour, Port Ross, Auckland Is. At foot of Hobson Hills, under stones of small creek above HT level. Coll. E. S. Gourlay.
Exosphaeroma obtusum
- [14] (Dec. 1962) Ranui Cove, Auckland Is. Intertidal, under stones. Coll. J. C. Yaldwyn.
Exosphaeroma obtusum

- [15] (Dec. 1962) Crozier Point, Port Ross, Auckland Is. From nest of red-billed gull. Coll. J. C. Yaldwyn.
Amphoroidea falcifer
- [16] (Jan. 1963) Tucker Point, Auckland Is. Intertidal stones just inside Tucker Point. Coll. J. C. Yaldwyn.
Exosphaeroma obtusum
- [17] (Jan. 1963) Ranui Cove, Auckland Is. Under intertidal stones. Coll. J. C. Yaldwyn.
Exosphaeroma obtusum
- [18] (Jan. 1963) Between Deas Head and Tucker Point, Auckland Is. 12–15 fm (22–27 m). Coll. J. C. Yaldwyn.
Cymodoce australis

CAMPBELL ISLAND

- [19] (Nov. 1952) Perseverance Harbour, Campbell I. Coll. J. Moreland.
Exosphaeroma obtusum
- [20] (23 Jan. 1958) NW Campbell Is. Rock pools. Coll. R. J. Street, Marine Department.
Pseudosphaeroma campbellensis
- [21] (1958) Coll. P. G. Poppleton.
Exosphaeroma obtusum

NEW ZEALAND

- [22] (1 May 1913) Off Petane, Napier. Dredged.
Cassidina typa
- [23] (25 Sep. 1922) Lyall Bay, under base of *Durvillea*.
Dynamenella hirsuta, *D. huttoni*, *Dynamenopsis varicolor*
- [24] (Nov. 1934) Tasman Bay. Dredged. Coll. M. Young.
Cassidina typa
- [25] (8 Feb. 1946) Facile Harbour, Dusky Sound. Coll. W. H. Dawbin, Pres. L. R. Richardson. Cr 1522.
Cilicaca caniculata
- [26] (18 Feb. 1946) Smith Sound, Dusky Inlet. 30 fm (55 m). Coll. W. H. Dawbin, Pres. L. R. Richardson. Cr 1521.
Cilicaca dolorosa
- [27] (21 Dec. 1947) Lyall Bay, under stones, mid-tide. Coll. R. K. Dell.
Cilicaca dolorosa, *Dynamenella huttoni*, *Dynamenoides vulcanata*, *Exosphaeroma obtusum*, *Isocladus armatus*, *I. dulciculus*
- [28] (13 Sep. 1948) Stephens I., Cook Strait. Intertidal. Coll. R. K. Dell.
Dynamenella condita
- [29] (8 Nov. 1948) Sealers Bay, Codfish I. Stewart I. Coll. R. K. Dell.
Exosphaeroma obtusum
- [30] (27 Feb. 1949) Lyall Bay. Coll. R. K. Dell.
Cilicaca dolorosa, *Exosphaeroma obtusum*
- [31] (1 Aug. 1950) Island Bay. Off *Lessonia*.
Amphoroidea longipes
- [32] (14 Aug. 1950) Port Hutt, Chatham Is. Surface, under floodlight. Coll. P. Abernathy.
Amphoroidea longipes
- [33] (5 Nov. 1950) Ringdove Bay, Antipodes I. Over 15 fm (27 m). *Macrocystis* cover. 2300 h. Coll. R. K. Dell.
Amphoroidea falcifer
- [34] (10 Nov. 1952) Portobello Marine Biological Station, Otago Harbour. Coll. J. Moreland. Surface.
Cilicaca caniculata, *Isocladus armatus*
- [35] (May 1953) Off Cape Campbell. 40 fm (73 m). Coll. P. Abernathy.
Cassidina typa

- [36] (14 Sep. 1954) Hutt River, Wellington. 1.6 km up from mouth. Coll. E. M. Sladden. Cr 620.
Sphaeroma quoyanum
- [37] (24 Jan. 1955) Murderers Cove, South Cape I., SW Stewart I. Coll. R. K. Dell & B. A. Holloway.
Dynamenella huttoni
- [38] (14 Aug. 1955) Off Portobello Marine Station wharf, Otago Harbour. 2-4 fm (4-7 m). Coll. R. K. Dell & J. Moreland.
Cilicsea caniculata
- [39] (8 Sep. 1955) Off Cape Campbell. 40 fm (73 m). Coll. P. Abernathy.
Cilicsea tasmanensis
- [40] (20 May 1956) Solander I., Foveaux Strait. Coll. R. K. Dell. Cr 629.
Amphoroidea falcifer
- [41] (3 Jan. 1957) BS 195. West of Trio I., entrance to Admiralty Bay. 40°50'S, 173°58'E. 16 fm (30 m). m.v. Alert.
Cymodoce hodgsoni
- [42] (Jan. 1957) Manukau Harbour. Dredged. Coll. J. C. Yaldwyn.
Sphaeroma quoyanum
- [43] (21 Jan. 1957) Dunedin wharves. By nightlight. Coll. R. K. Dell & J. Moreland.
Isocladus spiculatus
- [44] (1 Jan. 1963) Ngiare Beach, Whangaroa. Under stones, low tide.
Isocladus armatus
- [45] (11 Nov. 1963) Tauranga Bay, Whangaroa Harbour. Coll. R. K. Dell.
Amphoroidea falcifer, *A. media*, *Dynamenella huttoni*
- [46] (12 Nov. 1963) Tauranga Bay, Whangaroa Harbour. Around mouth of *Centrostephanus*. Coll. R. K. Dell.
Exosphaeroma echinensis
- [47] (20 Nov. 1963) Katherine Bay, Gt. Barrier I. Coll. R. D. Ordish.
Isocladus armatus

Canterbury University Collections

AUCKLAND ISLAND

- [48] (27 Dec. 1962) Sta. 1. Ranui Cove, *Xiphophora* zone, under rocks. Coll. G. A. Knox.
Dynamenella huttoni, *Exosphaeroma obtusum*
- [49] (27 Dec. 1962) Sta. 2. Ewing I. Drift algae. Coll. G. A. Knox.
Pseudosphaeroma campbellensis
- [50] (28 Dec. 1962) Sta. 3. Ocean I. Platform, lower midlittoral. Coll. G. A. Knox.
Dynamenella huttoni
- [51] (28 Dec. 1962) Crozier Pt. *Durvillea antarctica* holdfast.
Amphoroidea falcifer, *Dynamenella huttoni*
- [52] (29 Dec. 1962) Sta. 4. Ocean I. Pool, rocky platform, midlittoral. Coll. G. A. Knox.
Amphoroidea falcifer, *Dynamenella huttoni*, *Isocladus calcareus*
- [53] (30 Dec. 1962) Lindley Pt. Under boulders, *Durvillea* zone. Coll. G. A. Knox.
Dynamenella huttoni, *Exosphaeroma obtusum*, *Pseudosphaeroma campbellensis*
- [54] (8 Jan. 1963) Ranui Cove, 2-3 fm (4-6 m). Coll. G. A. Knox.
Amphoroidea falcifer, *A. longipes*

- [55] (9 Jan. 1963) Ranui Cove. Lower midlittoral. Algae. Coll. G. A. Knox.
Dynamenella huttoni
- [56] (13 Jan. 1963) French I. *Durvillea antarctica*. Coll. G. A. Knox.
Amphoroidea falcifer, *Dynamenella huttoni*
- [57] (14 Jan. 1963) Ranui Cove. *Amphoroidea falcifer*, *Isocladus calcareus*
- [58] (15 Jan. 1963) Ranui Cove. *Macrocystis* holdfast.
Isocladus calcareus
- [59] (16 Jan. 1963) Enderby I. Midlittoral shelf. Coll. G. A. Knox.
Dynamenella huttoni, *Exosphaeroma gigas*, *E. obtusum*
- [60] (17 Jan. 1963) Derry Castle Reef, Enderby I. Under rocks, upper littoral. Coll. G. A. Knox.
Exosphaeroma gigas, *Isocladus calcareus*, *Pseudosphaeroma campbellensis*
- [61] (18 Jan. 1963) Lindley Pt. Littoral mussel community. Coll. G. A. Knox.
Cilicsea caniculata
- [62] (18 Jan. 1963) Port Ross. 12-14 fm (22-26 m). Coll. J. Moreland.
Cymodoce australis

SNARES ISLAND

- [63] (4 Jan. 1961) With sponges, pool, *Durvillea* zone. *Amphoroidea falcifer*, *Cymodoce allegra*, *C. australis*, *Dynamenella condita*, *D. huttoni*
- [64] (5 Jan. 1961) Pool. *Durvillea* zone. *Cymodoce australis*, *Dynamenella condita*, *Isocladus calcareus*
- [65] (20 Jan. 1961) *Dynamenella condita*, *D. huttoni*
- [66] (26 Jan. 1961) *Durvillea* holdfast. Coll. G. A. Knox.
Dynamenella condita, *D. huttoni*
- [67] (29 Jan. 1961) Under rocks, lower littoral. Coll. G. A. Knox.
Dynamenella condita, *Exosphaeroma obtusum*
- [68] (2 Feb. 1961) Upper sublittoral, below *Durvillea*. *Dynamenella condita*, *D. huttoni*, *Scutuloidea maculata*
- [69] (3 Feb. 1961) *Dynamenella condita*, *D. huttoni*, *Scutuloidea maculata*
- [70] (4 Feb. 1961) Upper sublittoral. Boat harbour. *Dynamenella condita*, *Scutuloidea maculata*
- [71] (4 Feb. 1961) In algae under *Durvillea*. *Dynamenella condita*, *D. huttoni*, *Scutuloidea maculata*
- [72] (6 Feb. 1961) *Lessonia* holdfasts. *Dynamenella condita*, *D. huttoni*, *Exosphaeroma obtusum*, *Isocladus calcareus*, *Pseudosphaeroma campbellensis*
- [74] Coll. G. A. Knox.
Dynamenella condita, *D. hirsuta*, *D. huttoni*, *Scutuloidea maculata*

STEWART ISLAND

- [75] (9 Jan. 1964) Port Pegasus, Pegasus Passage. Upper littoral in *Elminius* shells, *Bostrychia* zone. Coll. K. P. Jansen.
Pseudosphaeroma campbellensis
- [76] (12 Jan. 1964) Port Pegasus, entrance to Smallcraft. *Apophloea* zone, under rocks. Coll. K. P. Jansen.
Dynamenella huttoni, *Exosphaeroma obtusum*, *Pseudosphaeroma campbellensis*
- [77] (18 Jan. 1964) Mason's Bay, N end. Rock pool, lower midlittoral. Coll. K. P. Jansen.
Dynamenella huttoni, *Exosphaeroma obtusum*, *Scutuloidea maculata*
- [78] (18 Jan. 1964) Mason's Bay, north end. *Durvillea* holdfast. Coll. K. P. Jansen.
Dynamenella huttoni, *Exosphaeroma obtusum*

- [79] (19 Jan. 1964) Little Hellfire. In and under *Durvillea* holdfasts. Coll. K. P. Jansen.
Dynamenella huttoni, *Exosphaeroma obtusum*
- [80] (19 Jan. 1964) Little Hellfire, midlittoral rock pool. Coll. G. A. Knox.
Dynamenella huttoni, *Scutuloidea maculata*
- [81] (20 Jan. 1964) Bay south of Richards Point. Littoral rocks and pools. Coll. K. P. Jansen.
Dynamenella huttoni, *Pseudosphaeroma campbellensis*
- [82] (22 Jan. 1964) Hellfire. Rockpools *Durvillea* zone. Coll. G. A. Knox.
Dynamenella huttoni, *Scutuloidea maculata*
- [83] (22 Jan. 1964) Hellfire. Lower littoral. *Porphyra* to *Ulva*. Coll. K. P. Jansen.
Dynamenella huttoni
- Edward Percival Marine Laboratory (EPML)**
Kaikoura
- [84] (6 May 1962) K020.Y. Kaikoura Peninsula, South Bay NE of slipway. Limestone. Lower *Hormosira* zone, open faces.
Cilicæa dolorosa, *Isocladus calcareus*
- [85] (20 May 1962) K091.C. Kaikoura Peninsula.
Amphoroidea falcifer
- [86] (27 Aug. 1962) K149.B. Kaikoura Peninsula, South Bay. Rocks, low tide.
Isocladus calcareus
- [87] (30 Aug. 1962) K150.D. Goose Bay, *Durvillea* holdfasts.
Amphoroidea falcifer
- [88] (31 Aug. 1962) K344.A. Kaikoura Peninsula. Old wharf. Dip netting, 2130 h, low tide, strong chop from NE after NE wind of short duration, bright moon largely obscured by cloud [Note: K149.A, K396.F have been added to K344A].
Exosphaeroma obtusum, *Isocladus calcareus*
- [89] (3 Sep. 1963) K350.A. Kaikoura Peninsula, Sugar Loaf Pt. Midlittoral under rocks.
Isocladus armatus
- [90] (1 Sep. 1964) K396.G. Kaikoura Peninsula, Old Wharf. 2100–2200 h. Dark night, southerly wind, about 2 h after wind change.
Dynamenella huttoni
- [91] (1 Sep. 1964) K396.Z. As [90].
Scutuloidea maculata
- [92] (3 Sep. 1964) K405.B. Kaikoura Peninsula, Seal Reef, SE side. LWST, from *Caulerpa brownii*.
Cilicæa dolorosa
- [93] (3 Sep. 1964) K406.U. Kaikoura Peninsula, Seal Reef, NE corner under *Durvillea antarctica* holdfasts.
Dynamenella hirsuta, *D. huttoni*
- [94] (3 Sep. 1964) K408.Z. Kaikoura Peninsula, Seal Reef, E side LWST, from *Carpophyllum maschalocarpum*.
Dynamenopsis varicolor
- [95] (3 Sep. 1964) K414.E. Kaikoura Peninsula, Seal Reef, E side. LWST, from holdfasts of *Lessonia*.
Dynamenella huttoni
- [96] (3 Sep. 1964) K420.B. As [93].
Dynamenella hirsuta, *D. huttoni*
- [97] (3 Sep. 1964) K422.L. As [95].
Dynamenella hirsuta, *D. huttoni*
- [98] (3 Sep. 1964) K424.R. As [95] but from stipe.
Amphoroidea media, *A. longipes*
- [99] (3 Sep. 1964) K425.A. As [95] but from frond.
Amphoroidea longipes, *Dynamenella cordiforaminalis*
- [100] (3 Sep. 1964) K425.C. As [95] but from frond.
Scutuloidea maculata
- [101] (11 May 1965) K514.H. Kaikoura Peninsula, Wai-repo Flat, opposite Sime farm, pool in *Zostera*. LWNT. Pool 3.0 × 2.4 × 0.3 m, pebbly bottom. Rotenone poisoning.
Isocladus armatus
- [102] (3 Sep. 1964) K555.A. Continuation of [93].
Dynamenella cordiforaminalis
- [103] (3 Sep. 1964) K556.A. Continuation of [94].
Dynamenella cordiforaminalis, *D. insulsa*
- [104] (1967) Ex Kaikoura. Coll. K. P. Jansen.
Amphoroidea media, *Cassidina typa*, *Cilicæa caniculata*, *Cymodocella egregia*, *Dynamenella condita*, *D. cordiforaminalis*, *D. huttoni*, *D. insulsa*, *Dynamenoides vulcanata*, *Dynamenopsis varicolor*, *Exosphaeroma echinensis*, *E. obtusum*, *Isocladus armatus*, *I. calcareus*, *Scutuloidea maculata*.
- [105] (1967) Kaikoura. Coll. K. P. Jansen.
Dynamenella cordiforaminalis
- [106] (13 Nov. 1966) Kaikoura. Coll. K. P. Jansen.
Dynamenella cordiforaminalis
- [107] (1967) Kaikoura. Coll. K. P. Jansen.
Dynamenella hirsuta, *Isocladus armatus*
- [108] (1967) Kaikoura. Coll. K. P. Jansen.
Isocladus calcareus
- [109] (1967) Kaikoura. Coll. K. P. Jansen.
Dynamenella condita
- [110] (1 May 1967) Sugarloaf, Whalers Bay, LWNS. Under stones. Coll. K. P. Jansen.
Dynamenopsis varicolor
- [111] (5 May 1967) Sugarloaf. *Carpophyllum*, LWN.
Amphoroidea media, *Dynamenella cordiforaminalis*
- [112] (Aug. 1961) Kaikoura. Coll. R. L. Pilgrim.
Cymodocella egregia, *Dynamenella huttoni*
- [113] (6–7 Aug. 1967) Seal Reef. *Durvillea antarctica* holdfasts. LML–LWN.
Dynamenella hirsuta
- [114] (5 Jul. 1968) St. Kilda Rocks, Kaikoura. 8 m. Under and among spines of *Evechinus*. Coll. T. Dix.
Exosphaeroma echinensis
- [115] (27 May 1967) From about soft, sublittoral, off Seal Reef. Coll. T. Dix.
Exosphaeroma echinensis
- [116] *Durvillea* holdfasts. Coll. K. P. Jansen.
Dynamenella hirsuta
- [117] (15 Feb. 1968) 4 km ENE of Kaikoura, 90–110 m. Coll. L. D. Bowring.
Cassidina typa
- [118] (24 Oct. 1964) C.039. Christchurch. Under Heathcote bridge. General collection from pilings, rocks and mud. Lowest 0.75 m of piling thickly slimed. Lowest part of shore of jelly-like mud, evil smelling. [C.039.M.—“speckled sphaeromid amongst *Elminius*”.] Coll. J. F. C. Morgans.
Pseudosphaeroma campbellensis
- [119] (24 Oct. 1964) C.042. Christchurch. McCormacks Bay outfall tower, from wood and iron within 0.3 m of tower base, i.e., about 0.5 m from LW (–15 cm predicted for Lyttelton). N.B. *Ulva*, *Modiolus*, and *Elminius* from a turf with silt. [C.042.N.—“speckled isopod”]. Coll. J. F. C. Morgans.
Pseudosphaeroma campbellensis
- [120] (26 Oct. 1964) C.049. Christchurch. Pleasant Pt Domain jetty, Heathcote Estuary. General collection from all levels from wood and rocks of and at tip of jetty (at LW). Apparently no boring animals here in wood. [C.049.G.—“speckled isopod from ½–4½ ft above LW”.] Coll. J. F. C. Morgans.
Exosphaeroma planulum, *Pseudosphaeroma campbellensis*
- [121] (28 Oct. 1964) C.061. Christchurch. Avon River at corner of Kebblewhite St from stones at LW and